


IN THIS ISSUE

- ✖ Suppress 2nd Mailing Address Line when Blank in Document Templates

Suppress 2nd Line of Mailing Address when Blank in Document Templates


Suppressing the 2nd line in the mailing address is done by utilizing the HideBegin functionality in Nexsure. Perform the following steps to suppress the 2nd line.

1. Click after the <<MailAddress1>> statement to insert the <<HideBegin>> statement to suppress or print the 2nd address line.



2. On the XML tree under **ClientLocation**, click and drag **MailAddress2** towards the document.

3. In the Nexsure Field Properties dialog box click the **Drop as Conditional HideBegin** field check box. The **Add HideEnd field automatically** check box will be selected automatically, leave this selected. The **is equal to** option is automatically selected and it's box will be left blank since the desired result is to omit anything between the **HideBegin** and **HideEnd** statements if nothing exists.



4. Once the **OK** button is clicked the **HideBegin** and **HideEnd** statements are added to the document.

- The next step is to add the **MailingAddress2** to the document. Click between the **HideBegin** and **HideEnd** statements in the document.

The screenshot shows the XML Tree on the right and the document content on the left. The XML Tree lists the following elements: Client, NamedInsured, ClientContact, ClientAssignment, ClientLocation, ClientLocationID, ClientLocationName, MailAddress1, MailAddress2, MailCity, MailState, MailZipCode, MailIntAddress, MailCountryID, LocAddress1, LocAddress2, LocCity, LocState, LocZipCode, LocIntAddress, LocCountryID, Primary, and ClientDemographic. The document content on the left shows the following XML structure: «ClientName» «MailAddress1» «HideBegin» «HideEnd» «MailCity», «MailState» «MailZipCode». A red arrow points from the instruction to the space between «HideBegin» and «HideEnd» in the document content.

- From the **XML Tree**, click and drag **MailAddress2** to the document and click **OK** in the **Nexsure Fields Property** dialog box.

- Press **Enter** after the **HideBegin** statement and before the **MailAddress2** statement. Do not add any spaces.

The screenshot shows the XML Tree on the right and the document content on the left. The XML Tree lists the following elements: Client, NamedInsured, ClientContact, ClientAssignment, ClientLocation, ClientLocationID, ClientLocationName, MailAddress1, MailAddress2, MailCity, MailState, MailZipCode, MailIntAddress, MailCountryID, LocAddress1, LocAddress2, LocCity, LocState, LocZipCode, LocIntAddress, LocCountryID, Primary, and ClientDemographic. The document content on the left shows the following XML structure: «ClientName» «MailAddress1» «HideBegin» «MailAddress2» «HideEnd» «MailCity», «MailState» «MailZipCode». A red arrow points from the instruction to the space between «HideBegin» and «MailAddress2» in the document content.

This will move the **MailAddress2** statement down to the next line with the **HideEnd** statement.

```
«ClientName»¶
«MailAddress1»«HideBegin»¶
«MailAddress2»«HideEnd»¶
«MailCity»,«MailState»«MailZipCode»¶
```

When the document is merged and a 2nd address line exists, it will fall directly under address line 1.

```
¶
BusyBee-Crafts¶
PO-Box-732¶
2nd-line¶
Brea,CA-92821¶
```

When the document is merged and a 2nd address line does not exist, the **2nd line** is omitted from the document as intended.

```
¶
BusyBee-Crafts¶
4500-Greg-Dr¶
Brea,CA-92821¶
```